Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	40	(internet with browser) and (form same field same input same xml) and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:20
L4	. 2	("internet browser") same (form same field same input) and "715". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:22
L5	115	((web or internet) adj browser) same (html with form same input) and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:23
S1	1736	(image picture) and ((object control) with focus) and (create construct\$3) and (destroy destruct\$3) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 15:51
S2	1261	(image picture) and ((object control) with focus) and (create construct\$3) and (destroy destruct\$3) and memory and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 15:52
S3	1403	(image picture graphic\$2) and ((object control) with focus) and (create construct\$3) and (destroy destruct\$3) and memory and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 15:52
S4	1405	(image picture graphic\$2 icon) and ((object control) with focus) and (create construct\$3) and (destroy destruct\$3) and memory and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 15:54

S6	238	(image picture graphic\$2 icon) and ((object control) with focus) and ((object control) with (create construct\$3)) and ((object control) with (destroy destruct\$3)) and memory and interface and (click select)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 15:58
S7	240	(image picture graphic\$2 icon) and ((object control) with focus) and ((object control) with (create load construct\$3)) and ((object control) with (destroy destruct\$3)) and memory and interface and (click select)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 16:59
S8	393	"save memory" with (object control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 17:00
S9	222	"save memory" with (object control) and computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 17:00
S10	173	"save memory" with (object control) and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 17:00
S11	38	"save memory" with (object control) same interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 17:08
S12	28184	"715".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/01/10 17:08
S13	22189	S12 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/01/10 17:08

			·			
S14	83	S5 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 17:09
S15	90	S4 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/01/10 17:09
S16	45	S4 and "345".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 17:09
S17	49	("20020197064" "5598534" "6218700" "6218700" "6240476" "20020080090" "4531319" "7084873" "20030030641" "20050149874" "4601003" "5790596" "5675344" "5818887" "20040058704" "5974320" "5570002" "5928347" "6054846" "6145046" "4546454" "5561853" "5572221" "5721537" "5819175" "5819107" "5831636" "5835862" "5835588" "5848064" "5909662" "6073064" "6082821" "6088746" "6112067" "6128571" "6141609" "6145070" "6148197" "6167252" "6182238" "6207989" "6243576" "3581013" "4245233" "4283628" "4297005" "4348901" "4353130" "4354404" ).pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 14:32
S18	548	715/762.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:21
S19	31	premchandran.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:33

S21	48	snapshot load control memory combobox	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/01 16:37
S22	0	("2005/0212807").URPN.	USPAT	OR	ON	2007/02/02 13:51
S23	108	thumbnail with click	USPAT	OR	ON	2007/02/02 14:56
S24	9	(thumbnail with click) and (load with control)	USPAT	OR	ON	2007/02/02 15:02
S25	50	thumbnail same click same edit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 15:03
S26	75	textbox same combobox	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 16:57
S27	25	(just-in-time or "just in time" or "on-the-fly" or "on the fly") with control with load\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 15:21
S28	10457	selectively with control with load\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 15:22
S29	337	(selectively adj load\$3) with control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 15:30

S30	36	(selectively adj load\$3) with control and ("715" "345" "379").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 15:32
S31	1	"selectively loading controls"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 10:32
S32	1250	(image picture graphic\$2 icon) and ((object control) with focus) and (create construct\$3) and (destroy destruct\$3) and memory and interface and (click select)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 10:32
S33	843	"selectively loading"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 10:32
S34	32	"selectively loading" and ("715".clas. or "345".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 12:20
S35	142	(selective\$2 adj load\$3) and ("715". clas. or "345".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 13:22
S36	75	(selective\$2 adj load\$3) and text and ("715".clas. or "345".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 09:19
S37	32	(selective\$2 adj load\$3) and (text same input) and ("715".clas. or "345".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 13:03

S38	17	(selective\$2 adj load\$3) and (text with input) and ("715".clas. or "345".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 13:04
S39	33	((selective\$2 adj load\$3) with memory) and ("715".clas. or "345". clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 15:18
S40	3	unload with memory with control with (lose or focus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:23
S41	73	"textbox control"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:23
S42	1461	"text control"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:24
S43	1	("text control" or "edit control" or "editbox control" or "input control") with load with focus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:25
S44	47	("text control" or "edit control" or "editbox control" or "input control") with load with active	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:25
S45	3	("text control" or "edit control" or "editbox control" or "input control") with load with active and ("715" "345").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:34

S46	36	(unload or destroy or deactivate or de-activate) with control with visible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:34
S47	1	(unload or destroy or deactivate or de-activate) with control with visible and ("715" "345").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:34
S48	10	((selective\$2 adj load\$3) with (component or widget or object)) and ("715".clas. or "345".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 15:18
S49	11962	selective\$2 with load\$3 with control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 09:20
S50	24	selective\$2 with load\$3 with control and "715".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 09:20
S51	114	selective\$2 with load\$3 with control and ("715".clas. or "345".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 10:27
S52	25	load\$3 with only with activ\$4 with control and ("715".clas. or "345". clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 12:42
S53	0	load same text same input same control same when same selected and ("715".clas. or "345".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 12:43

			r			
S54	23	load same text same input same control same selected and ("715". clas. or "345".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 13:15
S55	54	(load\$3 same control same (graphic\$2 or image) same unload\$3) and ("715".clas. or "345". clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 13:21
S56	8	((load\$3 with memory) same control same (graphic\$2 or image) same (unload\$3 with memory)) and ("715".clas. or "345".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 13:30
S57	664	(load\$3 same ((conserv\$3 or sav\$3 or efficien\$3) with memory)) and ("715".clas. or "345".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 13:32
S58	12	(load\$3 same un\$1load\$3 same ((conserv\$3 or sav\$3 or efficien\$3) with memory)) and ("715".clas. or "345".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 13:50
S59	93	(load\$3 with response with selection) and ("715".clas. or "345". clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 14:01
S60	10	(load\$3 with response with selection) and (un\$1load\$3) and ("715".clas. or "345".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 14:36
S61	102	(load\$3 with (image or graphic) with instead) and ("715".clas. or "345".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 14:36

S62	20	(load\$3 with (image or graphic) with instead) and ("715".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/08/09 14:37
S63	21	((thumbnail or preview or "low resolution" or "low\$1res\$7") adj (image or graphic)) with ("text input" or "editbox" or "text box" or "edit box" or "text control" or "edit control")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:02
S64	649	image adj (input or text) adj (control or box or object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:04
S65	80	image adj (input or text) adj (control or box or object) and "715". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:21
S66	0	thumbnail adj (input or text) adj (control or box or object) and "715". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:22
S67	57	image adj (input or text) adj (control or box or object) and "345". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:22
S68	0	thumbnail adj (input or text) adj (control or box or object) and "345". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:22

8/13/2007 5:09:16 PM Page 9

		and the state an	T	·		1
S69	278	load\$3 with ("on-the-fly" or "on the fly")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 08:22
S70	213	load\$3 with ("on-the-fly" or "on the fly") and computer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 08:22
S71	16	load\$3 with ("on-the-fly" or "on the fly") and ("715" "345").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 08:28
S72	0	load\$3 same "save memory" same un\$1load\$3 and ("715" "345").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 08:29
S73	10	load\$3 same "save memory" same un\$1load\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 08:33
S74	19	load\$3 same "free memory" same un\$1load\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 08:36
S75	4	allocat\$3 same "save memory" same de\$1allocat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 08:39

		T				
S76	158	allocat\$3 same "free memory" same de\$1allocat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 09:13
S77	1	allocat\$3 same "free memory" same de\$1allocat\$3 and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 09:14
S78	300	(allocat\$3 with select\$3) same (de\$1allocat\$3 with select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 09:16
S79	5	(allocat\$3 with select\$3) same (de\$1allocat\$3 with select\$3) and ("715" "345").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 09:21
S80	40	(load\$3 with select\$3) same (un\$1load\$3 with select\$3) and ("715" "345").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 09:28
S81	74	((load\$3 or allocat\$3) with portion) and ((un\$1load\$3 or de\$1allocat\$3) with portion) and ("715" "345").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 11:27
S82	11	("7145541" "20040252139" "5491781" "5898441" "6377272" "20030095127" "6831652" "6947051" "6975309" "7158147" "7184003").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/10 11:30

S83	11	("7145541" "20040252139" "5491781" "5898441" "6377272" "20030095127" "6831652" "6947051" "6975309" "7158147" "7184003").pn. and memory	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/10 14:17
S84	42	(text with input) and ("scene graph" or scene-graph)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/10 14:19
S85	42	(text with input) and ("scene graph" or scene-graph)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 14:41
S86	436	(text with input) with node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 14:41
S87	31	(text with input) with node with form	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 14:45
S88	94	(text with input) with node and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 14:46
S89	17	(text with input) with node same form and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 14:46

8/13/2007 5:09:16 PM Page 12